



# Safety Data Sheet

SDS No. 480A

## Section 1 - Identification

- 1.1 Product Identifier:** Part A for:  
Crystal Clear®; Clear Flex 30, 50 and 95; SMASH! Plastic®; Task 12®
- 1.2 General Use:** Polyurethane elastomer
- 1.3 Manufacturer:** Smooth-On, Inc.,  
5600 Lower Macungie Rd., Macungie, PA 18062  
Phone (610) 252-5800, FAX (610) 252-6200  
SDS@Smooth-On.com
- 1.4 Emergency Contact:** Chem-Tel  
Domestic: 800-255-3924    International: 813-248-0585

## Section 2 – Hazard(s) Identification

### 2.1 Classification of the substance or mixture

- Skin irritation – Category 2, H315
- Skin sensitization – Category 1, H317
- Eye irritation – Category 2A, H319
- Acute toxicity, inhalation – Category 3, H331
- Respiratory sensitization – Category 1, H334
- Specific target organ toxicity – single exposure – Category 3 (respiratory system), H335

### 2.2 GHS Label elements, including precautionary statements

**Hazard Pictogram(s):**  
**Signal word:** Danger



Health Hazards	H315 H317 H319 H331 H334  H335	Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Toxic if inhaled May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause respiratory irritation
General Precautions:	P101  P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
Prevention Precautions:	P261  P264 P271 P272  P280	Avoid breathing dust/fume/gas/mist/vapors/spray.  Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.  Wear protective gloves/protective clothing/eye protection/face protection.

	P285	In case of inadequate ventilation wear respiratory protection.
Response	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
Precautions:	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P311	Call a POISON CENTER or doctor/physician.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337 + P313	If eye irritation persists: Get medical advice/attention.
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER doctor/physician.
Storage	P362	Take off contaminated clothing.
Precautions:	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
	P405	Store locked up.
Disposal	P501	Dispose of contents/container to an approved waste disposal plant.
Precautions:		

**Hazards not otherwise classified (HNOC) or not covered by GHS – Lachrymator.**

### Section 3 - Composition / Information on Ingredients

#### 3.1 Substances

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

CAS	Component	Concentration
5124-30-1	4,4' Methylene-dicyclohexyl diisocyanate	35% - 85%

### Section 4 – First-Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

**Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact:** In case of skin contact, wash thoroughly with soap and water.

**Ingestion:** Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed:** None known.

**4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.**

### Section 5 - Fire-Fighting Measures

**5.1 Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam

**5.2 Special hazards arising from the substance or mixture:** None known.

**5.3 Advice for firefighters:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off “fuel” to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

### Section 6 - Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

**6.2 Environmental precautions:** No special environmental precautions required.

**6.3 Methods and material for containment and cleaning up:** absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution

**6.4 Reference to other sections:** See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

### Section 7 - Handling and Storage

**7.1 Precautions for safe handling:** Professional use only. Use good general housekeeping procedures. Wash hands after use.

**7.2 Conditions for safe storage, including any incompatibilities:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

**7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

### Section 8 - Exposure Controls / Personal Protection

#### 8.1 Control parameters:

CAS	Component	Value	Control parameters	Basis
5124-30-1	4,4' Methylene-dicyclohexyl diisocyanate	TWA	0.0050 ppm	USA. ACGIH Threshold Limit Values (TLV)
		C	0.01 ppm 0.11 mg/m3	USA. OSHA – TABLE Z-1
		C	0.01 ppm 0.11 mg/m3	USA. NIOSH Recommended Exposure Limits.

#### 8.2 Exposure controls:

**Respiratory Protection:** Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges as a backup to engineering controls.

**Hand Protection:** Wear chemically resistant gloves such as butyl rubber, neoprene or PVC to prevent repeated exposure.

**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Other Protective Clothing/Equipment:** Additional protective clothing may be required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties:

<b>Appearance :</b> clear liquid	<b>Vapor Pressure:</b> $1.60 \times 10^{-5}$ mmHg @ 77 °F
<b>Odor/Threshold:</b> odorless	<b>Vapor Density (Air=1):</b> Not available.
<b>pH:</b> N.A. (non-aqueous)	<b>Specific Gravity:</b> 1.079 @ 77 °F
<b>Melting Point/Freezing Point:</b> N.A.	<b>Water Solubility:</b> Insoluble
<b>Low/High Boiling Point:</b> N.A.	<b>Partition coefficient:</b> Not available
<b>Flash Point:</b> 368 °F	<b>Auto-ignition temperature:</b> 437 °F
<b>Evaporation Rate:</b> Not available	<b>Decomposition temperature:</b> Not available
<b>Flammability:</b> f.p. at or above 200 °F	<b>Viscosity:</b> 240 centipoise @ 77 °F
<b>UEL/LEL:</b> Not available	<b>% Volatile:</b> 0% (v/v), 0% (w/w)

## Section 10 - Stability and Reactivity

**10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated. No corrosive effect on metal. Not fire propagating.

**10.2 Chemical stability:** These products are stable at room temperature in closed containers under normal storage and handling conditions. Storage temperatures should be maintained between 77 °F and 120 °F.

**10.3 Possibility of hazardous reactions:** Contact with moisture and other materials that react with isocyanates, or temperatures above 350 °F may cause polymerization.

**10.4 Conditions to avoid:** none known

**10.5 Incompatible materials:** Water, Amines, Strong bases, Alcohols, Copper alloys

**10.6 Hazardous decomposition products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## Section 11- Toxicological Information

### 11.1 Information on toxicological effects:

**Skin Corrosion/Irritation:** no data

**Serious Eye Damage/Irritation:** no data

**Respiratory/Skin Sensitization:** no data

**Germ Cell Mutagenicity:** no data

**Carcinogenicity:** No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, NTP or OSHA.

**Reproductive Toxicity:** no data

**Specific Target Organ Toxicity – Single Exposure:** no data

**Specific Target Organ Toxicity – Repeated Exposure:** no data

**Aspiration Hazard:** no data

**Acute Toxicity:**

Oral: > 5000 mg/kg (calculated)

Inhalation: 0.43 mg/l, 4h (calculated)

**Chronic Exposure:** no data

**Potential Health Effects – Miscellaneous:** no data




California Proposition 65: This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

**15.2 Chemical safety assessment:** No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16 - Other Information

HMIS	
H	3*
F	1
R	1



\*=Chronic Health Hazard

**Revision:** 3

**Date Prepared:** November 25, 2015

**Glossary:** ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; RCRA-Resource Conservation and Recovery Act; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



# Safety Data Sheet

SDS No. 402B

## Section 1 - Identification

**1.1 Product Identity:** Part B for: Clear Flex® 30; FeatherLite®; FlexFoam-iT® Series; Foam-iT! 3, 10 and 10 Slow, 15, 26; Renew® Flexible Foam 10# and 25#; Renew® Rigid Foam 10#; Rigid Urethane 1800PF; Simpact® 60A and 85A; StyroCoat®; SMASH! Plastic®; Smooth-Cast® 300, 300Q, 320, 325, 45D, 57D, 60D, 61D, 65D, 66D, ONYX® Fast and Slow; Task® 2, 3, 7 FlameOut®, 8, 11, 15, 21; URE-BOND® II; Urethane 444; Urethane 666; Part A for Smooth-Cast® 380; Urethane Adhesive 110-253 and Urethane Adhesive 1701

**1.2 General Use:** Polyurethane Elastomer

**1.3 Manufacturer:** Smooth-On, Inc.,  
5600 Lower Macungie Rd., Macungie, PA 18062  
Phone (610) 252-5800, FAX (610) 252-6200  
SDS@Smooth-On.com

**1.4 Emergency Contact:** Chem-Tel  
Domestic: 800-255-3924      International: 813-248-0585

## Section 2 – Hazard(s) Identification

### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) and Regulation (EC) No 1272/2008 and subsequent amendments.

### 2.2 GHS Label elements, including precautionary statements

**Hazard Pictogram(s):** none

**Signal word:** none

#### General Precautions

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

**Hazards not otherwise classified (HNOC) or not covered by GHS – none**

## Section 3 - Composition / Information on Ingredients

### 3.1 Substances

No ingredients are hazardous according to 2012 OSHA Regulation 29 CFR 1910.1200 criteria.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

**Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact:** In case of skin contact, wash thoroughly with soap and water.

**Ingestion:** Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

- 4.2 Most important symptoms and effects, both acute and delayed:** none known.  
**4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.**

### Section 5 - Fire-Fighting Measures

- 5.1 Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam  
**5.2 Special hazards arising from the substance or mixture:** None known.  
**5.3 Advice for firefighters:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

### Section 6 - Accidental Release Measures

- 6.1 Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.  
**6.2 Environmental precautions:** No special environmental precautions required.  
**6.3 Methods and material for containment and cleaning up:** absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution  
**6.4 Reference to other sections:** See Section 3 for Hazardous Ingredients; Section 8 for Exposure Controls; and Section 13 for Disposal.

### Section 7 - Handling and Storage

- 7.1 Precautions for safe handling:** Use good general housekeeping procedures. Wash hands after use.  
**7.2 Conditions for safe storage, including any incompatibilities:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.  
**7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

### Section 8 - Exposure Controls / Personal Protection

- 8.1 Control parameters:** none defined  
**8.2 Exposure controls:**  
**Respiratory Protection:** Use of this product does not require the use of a respirator. Should other occupational exposure factors warrant a respirator, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate cartridges.  
**Hand Protection:** Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.



**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties:

**Appearance :** translucent viscous liquid

**Odor/Threshold:** Mild to sweet odor

**pH:** N.A. (non-aqueous)

**Melting Point/Freezing Point:** N.A.

**Low/High Boiling Point:** N.A.

**Flash Point:** >300 °F

**Evaporation Rate:** Not available

**Flammability:** f.p. at or above 200 °F

**UEL/LEL:** Not available

**Vapor Pressure:** None (Polymeric Resin)

**Vapor Density (Air=1):** >1

**Specific Gravity (H<sub>2</sub>O=1, at 4 °C):** 1.07

**Water Solubility:** Insoluble

**Partition coefficient:** Not available

**Auto-ignition temperature:** Not available

**Decomposition temperature:** Not available

**Viscosity:** 20,000 – 30,000 centipoise

**% Volatile:** Nil

## Section 10 - Stability and Reactivity

**10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

**10.2 Chemical stability:** These products are stable at room temperature in closed containers under normal storage and handling conditions.

**10.3 Possibility of hazardous reactions:** Hazardous polymerization cannot occur.

**10.4 Conditions to avoid:** none known

**10.5 Incompatible materials:** strong bases and acids

**10.6 Hazardous decomposition products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## Section 11- Toxicological Information

### 11.1 Information on toxicological effects:

**Skin Corrosion/Irritation:** no data

**Serious Eye Damage/Irritation:** no data

**Respiratory/Skin Sensitization:** no data

**Germ Cell Mutagenicity:** no data

**Carcinogenicity:** No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, NTP, or OSHA.

**Reproductive Toxicity:** no data

**Specific Target Organ Toxicity – Single Exposure:** no data

**Specific Target Organ Toxicity – Repeated Exposure:** no data

**Aspiration Hazard:** no data

**Acute Toxicity: (calculated)**

**Chronic Exposure:** no data

**Potential Health Effects – Miscellaneous:** no data

## Section 12 - Ecological Information

- 12.1 Toxicity:** no data  
**12.2 Persistence and Degradability:** no data  
**12.3 Bioaccumulative Potential:** no data  
**12.4 Mobility in Soil:** no data  
**12.5 Results of PBT and vPvB assessment:** no data  
**12.6 Other Adverse Effects:** no data

## Section 13 - Disposal Considerations

**13.1 Waste treatment methods:** Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Parts 261. Waste management should be in full compliance with federal, state and local laws.  
Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

## Section 14 - Transport Information

- Not regulated by DOT, IATA or IMDG  
**14.1 UN number:** none  
**14.2 UN proper shipping name:** none  
**14.3 Transport hazard class(es):** not applicable  
**14.4 Packing group:** not applicable  
**14.5 Environmental hazards:** none known  
**14.6 Special precautions for user:** none known  
**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** not applicable

## Section 15 - Regulatory Information

**15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:**

**In the United States (EPA Regulations):**

**TSCA Inventory Status (40 CFR710):** All components of this formulation are listed in the TSCA Inventory.

**SARA 302 Components:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.


**SARA 311/312 Hazards:** none

California Proposition 65: This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

**15.2 Chemical safety assessment:** No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16 - Other Information

HMIS	
H	1
F	0
R	0



**SDS Version:** 9

**Date Prepared:** March 22, 2017

**NFPA**

**Glossary:** ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; RCRA-Resource Conservation and Recovery Act; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.