

# GHS Compliant

# SDS No. 662A

|                   | SDS No. 662A   |   |  |  |                             |
|-------------------|--|---|--|--|-----------------------------|
|                   |  |   | Section  | 1 - Identification   |                             |
| 1.1<br>1.2<br>1.3 | Product Iden<br>General Use:<br>Manufacture  | :   |  | Elastomer  |                             |
| 1.4               | Emergency C  | Contact:  | Chem-Tel   | Domestic: 800-255-3924   | International: 813-248-0585 |
|                   |  |   | Section 2 – Ha   | zard(s) Identification   |                             |
| 2.1               | H315<br>H317<br>H319<br>H332<br>H334<br>H335<br>H351   | Skin corros<br>Skin sensit<br>Eye irritatio<br>Acute toxic<br>Respiratory<br>Specific tar<br>Carcinoger | nicity – Category 2  | tegory 2<br>y 1<br>ategory 4<br>Category 1<br>– single exposure – Catego   |                             |
| 2.2               | 2 GHS Label elements, including precautionary statements   |   |  |  |                             |
|                   | Pictogram(s):<br>Signal word: Danger   |   |  |  |                             |
| Health Hazards:   |  |   |  |  |                             |
|                   | H315<br>H317<br>H319<br>H332<br>H334<br>H335<br>H351<br>H373<br><b>General Prec</b><br>P101<br>P102<br>P103<br><b>Broughtion P</b> | May<br>Cau<br>Har<br>May<br>Sus<br>May<br><b>sautions:</b><br>If m<br>Kee<br>Rea                        | <ul> <li>cause respirator</li> <li>pected of causing</li> <li>cause damage t</li> <li>edical advice is n</li> <li>p out of reach of</li> <li>ad label before us</li> </ul> | c skin reaction<br>rritation<br>asthma symptoms or breath<br>y irritation<br>g cancer.<br>to organs through prolonged<br>leeded, have product contair<br>children. | or repeated exposure.       |
|                   | Prevention P<br>P201   |   |  | ctions before use.   |                             |
|                   | P202   |   | •  | Il safety precautions have be  | een read and understood     |

- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.





# SDS No. 662A

| P284                       | [In case of inadequate ventilation] wear respiratory protection.   |
|----------------------------|--|
| Response Precaution        | ons:   |
| P302 + P352                | IF ON SKIN: Wash with plenty of soap and water.  |
| P304 + P340                | IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |
| P305 + P351 + P338         | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312                       | Call a POISON CENTER or doctor/physician if you feel unwell.   |
| P332+P313                  | IF SKIN irritation occurs: Get medical advice/attention.   |
| P362+P364                  | Take off contaminated clothing and wash it before reuse.   |
| Storage Precautions        | S:   |
| P403 + P233                | Store in a well-ventilated place. Keep container tightly closed.   |
| P405                       | Store locked up.   |
| <b>Disposal Precaution</b> | IS:  |
| P501                       | Dispose of contents/container according to local, state and federal laws.  |
|                            |  |

**Hazards not otherwise classified (HNOC) or not covered by GHS** – Lachrymator This product contains a chemical known to be hazardous according to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). (See also Section 3 and 15)

## Section 3 - Composition / Information on Ingredients

### 3.1 Substances

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

| Component  | CAS #      | Concentration (%wt) |
|--|------------|---------------------|
| Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -hydro- $\Omega$ -hydroxy, polymer with 1,3 diisocyanatomethylbenzene | 9057-91-4  | > 90                |
| 4,4' Methylene bis(phenylisocyanate) (MDI)   | 101-68-8   | <10                 |
| Polymethylene polyphenyl isocyanates   | 9013-87-9  | <20                 |
| Diisononyl phthalate   | 28553-12-0 | 15 - 25             |
| Toluene diisocyanate   | 26471-62-5 | < 1                 |

### Section 4 - First Aid Measures

## 4.1 Description of first aid measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.
Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.
Skin Contact: In case of skin contact, wash thoroughly with soap and water.
Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed** None known.

4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

## Section 5 - Fire-Fighting Measures

- **5.1 Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam
- 5.2 Special hazards arising from the substance or mixture: None known.



# SDS No. 662A

5.3 Advice for firefighters: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a selfcontained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

#### **Section 6 - Accidental Release Measures**

- 6.1 **Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
- **6.2 Environmental precautions:** Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.
- 6.3 Methods and material for containment and cleaning up: Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

**6.4 Reference to other sections:** See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

## Section 7 - Handling and Storage

- **7.1 Precautions for safe handling:** Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.
- **7.2** Conditions for safe storage, including any incompatibilities: Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
- **7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

## Section 8 - Exposure Controls / Personal Protection

8.1 **Control parameters:** none defined

## 8.2 Exposure controls:

**Respiratory Protection:** Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls. **Hand Protection:** Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.





# SDS No. 662A

**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses. **Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties:

Appearance: Clear yellow viscous liquid Odor/Threshold: Sharp pungent odor pH: N.A. (non-aqueous) Melting Point/Freezing Point: N.A. Low/High Boiling Point: N.A. Flash Point: >270°F Evaporation Rate: Not available Flammability: f.p. at or above 200 °F UEL/LEL: Not available Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): >1 Specific Gravity (H<sub>2</sub>O=1, at 4 °C): 1.05 Water Solubility: Insoluble Partition coefficient: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: 2500 centipoise % Volatile: Nil

## Section 10 - Stability and Reactivity

- **10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.
- **10.2** Chemical stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.
- **10.3 Possibility of hazardous reactions:** Hazardous polymerization cannot occur.
- 10.4 Conditions to avoid: none known
- **10.5** Incompatible materials: strong bases and acids
- **10.6 Hazardous decomposition products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## **Section 11- Toxicological Information**

11.1 Information on toxicological effects: Skin Corrosion/Irritation: no data Serious Eye Damage/Irritation: no data Respiratory/Skin Sensitization: no data Germ Cell Mutagenicity: no data Carcinogenicity: No component of these products present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, ACGIH or NTP. Reproductive Toxicity: no data Specific Target Organ Toxicity – Single Exposure: no data Specific Target Organ Toxicity – Repeated Exposure: no data Aspiration Hazard: no data Acute Toxicity: no data Chronic Exposure: no data Potential Health Effects – Miscellaneous: no data





# SDS No. 662A

## Section 12 - Ecological Information

- **12.1 Toxicity:** no data
- **12.2 Persistence and Degradability:** no data
- 12.3 Bioaccumulative Potential: no data
- **12.4 Mobility in Soil:** no data
- 12.5 Results of PBT and vPvB assessment: no data
- 12.6 Other Adverse Effects: no data

#### Section 13 - Disposal Considerations

**13.1 Waste treatment methods:** Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

## Section 14 - Transport Information

### Not regulated by DOT, IATA or IMDG

- 14.1 UN number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): not applicable
- 14.4 Packing group: not applicable
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

#### Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

**REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016):** This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

## In the United States (EPA Regulations):

**TSCA Inventory Status (40 CFR710):** All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

**CERCLA Hazardous Substance** (40 CFR 302.4) listed specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112

| Chemical Name         | RQ       | <u>% Reportable Component</u> |
|-----------------------|----------|-------------------------------|
| Toluene Diisocyanate— | 100 lbs. | <0.5                          |



# SDS No. 662A

| <u>Chemical Name</u> | <u>CAS #</u> | <u>% by Weight</u> |
|----------------------|--------------|--------------------|
| Toluene Diisocyanate | 26471-62-5   | <0.5               |


These products contain the following chemicals that are subject to release reporting requirements under section 313 of SARA Title III.

| Chemical Name                              | <u>CAS #</u> | <u>% by Weight</u> |
|--|--------------|--------------------|
| 4,4' Methylene bis(phenylisocyanate) (MDI) | 101-68-8     | <10%               |
| Toluene Diisocyanate                       | 26471-62-5   | <0.5               |

SARA 311/312 Hazards: Fire, Immediate (Acute), Delayed (Chronic)

<u>California Proposition 65</u>: WARNING: This product contains chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

**15.2 Chemical safety assessment:** No chemical safety assessment has been carried out for this substance/mixture by the supplier.



**Revision:** 6 **Date Prepared:** May 21, 2015

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists: ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.



# GHS Compliant

# SDS No. 662A

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



# GHS Compliant

# **SDS No. 662B**

|                   | Section 1 - Identification                           |          |                        |                             |  |  |
|-------------------|--|----------|------------------------|-----------------------------|--|--|
| 1.1<br>1.2<br>1.3 | Product Identifier:<br>General Use:<br>Manufacturer: |          | e Elastomer            |                             |  |  |
| 1.4               | Emergency Contact:                                   | Chem-Tel | Domestic: 800-255-3924 | International: 813-248-0585 |  |  |
|                   | Section 2 – Hazard(s) Identification                 |          |                        |                             |  |  |
| 2 1               | 1 Classification of the substance or mixture:        |          |                        |                             |  |  |

## 2.1 Classification of the substance or mixture:

- H300 Acute Toxicity, oral Category 2
- H310 Acute Toxicity, dermal Category 1
- H330 Acute Toxicity, inhalation Category 2
- H360 Reproductive Toxicity Category 1B
- H373 Specific Target Organ Toxicity, repeated exposure Category 2
- H402 Acute Aquatic Toxicity Category 3

#### 2.2 GHS Label elements, including precautionary statements



Pictogram(s): Signal word: Danger

#### **Health Hazards:**

- H300 Fatal if swallowed.
- H310 Fatal in contact with skin.
- H330 Fatal if inhaled.
- H360 May damage fertility or the unborn child.
- H373 Causes damage to organs through prolonged or repeated exposure.
- H402 Harmful to aquatic life.

## **General Precautions:**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.

#### **Prevention Precautions:**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash with soap and water thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.
- P284 [In case of inadequate ventilation] wear respiratory protection.

#### **Response Precautions:**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.



# GHS Compliant

# **SDS No. 662B**

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P330 Rinse mouth.
- P361 Take off immediately all contaminated clothing.
- P363 Wash contaminated clothing before reuse.

#### **Storage Precautions:**

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

#### **Disposal Precautions:**

P501 Dispose of contents/container according to local, state and federal laws.

## Hazards not otherwise classified (HNOC) or not covered by GHS

This product contains a chemical known to be hazardous according to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). (See also Section 3 and 15)

## Section 3 - Composition / Information on Ingredients

### 3.1 Substances

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

| CAS #    | Component                                     | Concentration |
|----------|---|---------------|
| 104-60-9 | Phenylmercuric oleate ( $C_{24}H_{38}HgO_2$ ) | <0.90%        |

## Section 4 - First Aid Measures

#### 4.1 Description of first aid measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.
Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.
Skin Contact: In case of skin contact, wash thoroughly with soap and water.
Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- 4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

## **Section 5 - Fire-Fighting Measures**

- **5.1 Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam
- 5.2 Special hazards arising from the substance or mixture: None known.
- **5.3** Advice for firefighters: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a selfcontained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.





# SDS No. 662B

#### Section 6 - Accidental Release Measures

- 6.1 **Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
- **6.2 Environmental precautions:** Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.
- **6.3** Methods and material for containment and cleaning up: Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

**6.4 Reference to other sections:** See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

#### Section 7 - Handling and Storage

- **7.1 Precautions for safe handling:** Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.
- **7.2** Conditions for safe storage, including any incompatibilities: Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
- **7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

## Section 8 - Exposure Controls / Personal Protection

## 8.1 Control parameters: none defined

## 8.2 Exposure controls:

**Respiratory Protection:** Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls. **Hand Protection:** Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC. **Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses. **Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.





# **SDS No. 662B**

## Section 9 - Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties:

Appearance: Blue liquid Odor/Threshold: Mild odor pH: N.A. (non-aqueous) Melting Point/Freezing Point: N.A. Low/High Boiling Point: N.A. Flash Point: >300 °F Evaporation Rate: Not available Flammability: f.p. at or above 200 °F UEL/LEL: Not available

Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): >1 Specific Gravity (H<sub>2</sub>O=1, at 4 °C): 1.0 Water Solubility: Negligible Partition coefficient: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: 2000 centipoise % Volatile: Nil

## Section 10 - Stability and Reactivity

- **10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.
- **10.2** Chemical stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.
- **10.3 Possibility of hazardous reactions:** Hazardous polymerization cannot occur.
- 10.4 Conditions to avoid: none known
- **10.5** Incompatible materials: strong bases and acids
- **10.6 Hazardous decomposition products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## **Section 11- Toxicological Information**

11.1 Information on toxicological effects: Skin Corrosion/Irritation: no data Serious Eye Damage/Irritation: no data Respiratory/Skin Sensitization: no data Germ Cell Mutagenicity: no data Carcinogenicity: No component of these products present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, ACGIH or NTP. Reproductive Toxicity: no data Specific Target Organ Toxicity – Single Exposure: no data Specific Target Organ Toxicity – Repeated Exposure: no data Aspiration Hazard: no data Acute Toxicity: no data Chronic Exposure: no data Potential Health Effects – Miscellaneous: no data

#### Section 12 - Ecological Information

- **12.1 Toxicity:** no data
- 12.2 Persistence and Degradability: no data
- 12.3 Bioaccumulative Potential: no data
- 12.4 Mobility in Soil: no data
- 12.5 Results of PBT and vPvB assessment: no data
- 12.6 Other Adverse Effects: no data





# SDS No. 662B

### Section 13 - Disposal Considerations

**13.1 Waste treatment methods:** Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

#### Section 14 - Transport Information

#### Not regulated by DOT, IATA or IMDG

- 14.1 UN number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): not applicable
- 14.4 Packing group: not applicable
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** not applicable

### Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

**REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016):** This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

#### In the United States (EPA Regulations):

**TSCA Inventory Status (40 CFR710):** All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

**SARA 302 Components:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

104-60-9Mercury as part of Phenylmercuric oleate (C24H38HgO2)<0.90%</th>

SARA 311/312 Hazards: Immediate (Acute), Delayed (Chronic)


<u>California Proposition 65</u>: WARNING: This product contains chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

**15.2 Chemical safety assessment:** No chemical safety assessment has been carried out for this substance/mixture by the supplier.



# SDS No. 662B

NFPA



Revision: 7 Date Prepared: July 26, 2017

**Glossary:** ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service: Chemtrec-Chemical Transportation Emergency Center (US): CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313: SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.