



Safety Data Sheet

SDS No. 25A

		SDS NO. 25A
	Section 1 - Chemica	I Product and Company Identification
Grey; EpoxAmi Super Instant [®] ; General Use: F Manufacturer:		AX (610) 252-6200
		2 - Hazards Identification
Skin irritat Eye irritati Skin sens	of the substance or mixin ion – Category 2 on – Category 2A itization – Category 1 nents, including precau	ture
	\mathbf{N}	
Pictogram: Signal word: W	/arning	
Health Hazard:	H313	May be harmful in contact with skin
General Precautions:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
Prevention Precautions:	P103 P264	Read label before use. Wash with soap and water thoroughly after handling.
	P270	Do not eat, drink or smoke when using this product.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response Precautions:	P302 + P352	IF ON SKIN: Wash with plenty of soap and water
	P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P	332 + P313	If skin irritation occurs: Get medical	advice/attention.
P	362 + P364	Take off contaminated clothing and v reuse.	wash it before
Hazards not other	wise classified (HN	OC) or not covered by GHS - none	
	Section 3 - Comp	osition / Information on Ingredients	
The following ingr	edients are hazardo	us according to OSHA criteria:	
CAS	Component		Concentration
25085-99-8	Propane, 2,2-bis[p- polymers	(2,3-epoxypropoxy)phenyl]-	15% - 100%
	Sectio	on 4 - First Aid Measures	
Eye Contact: Flush Skin Contact: In ca Ingestion: Do not mouth to an uncor	h eyes with plenty of ase of skin contact, v induce vomiting unle nscious person. <i>appropriate in-plar</i>	oxygen if needed. Contact physician ir water. If irritation persists, seek medica wash thoroughly with soap and water. ess instructed by a physician. Never give at, paramedic, or community medical	l attention.
	Section	5 - Fire-Fighting Measures	
Unusual Fire or Ex Fire-Fighting Instr personnel. Shut of vapors. Either allow chemical. Try to co Further information	dia: Water Fog, Dry xplosion Hazards: N ructions: Use water f "fuel" to fire. If a lead w fire to burn under of over liquid spills with on: Because fire may ed breathing apparate- pressure mode.	Chemical, and Carbon Dioxide Foam None known. spray to cool fire-exposed surfaces and k or spill has not ignited, use water spra controlled conditions or extinguish with f foam. produce toxic thermal decomposition p tus (SCBA) with a full face piece operate	ay to disperse the oam or dry products,
	Section 6 -	Accidental Release Measures	
and contain spill; a dilute ammonia so	absorb or scrape up of	v protected personnel should remain in t excess into suitable container for dispos ce discharge if it can be done safely. cial environmental precautions required.	al; wash area with
	Section	7 - Handling and Storage	
Handling Precauti	i ons: Use good gene	eral housekeeping procedures. Wash ha	ands after use.
well ventilated place Store in approved sealed when not in codes. Containers	ce away from heat, c containers and prote n use. Indoor storage that have been ope	er(s) tightly closed and properly labeled. lirect sunlight, strong oxidizers and any ect against physical damage. Keep cont should meet OSHA standards and app ned must be carefully resealed to preve dangerous. Avoid water contamination.	incompatibles. ainers securely propriate fire

Section 8 - Exposure Controls / Personal Protection

Respiratory Protection: Respiratory protection is not normally required when using this product with adequate ventilation. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges.

Hand Protection: Handle with gloves. Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye Protection: Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Other Protective Clothing/Equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties

Appearance : viscous liquid Odor/Threshold: Mild odor pH: N.A. (non-aqueous) Melting Point/Freezing Point: N.A. Low/High Boiling Point: N.A. Flash Point: >300 °F Evaporation Rate: Not available Flammability: f.p. at or above 200 °F UEL/LEL: Not available Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): None Specific Gravity (H₂O=1, at 4 °C): 1.07 Water Solubility: Insoluble Partition coefficient: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: 1000 – 2000 centipoise % Volatile: Nil

Section 10 - Stability and Reactivity

Stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur.

Chemical Incompatibilities: Strong bases, and acids.

Hazardous Decomposition Products: Thermal oxidative decomposition can produce carbon oxides and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

Skin Corrosion/Irritation: no data	Serious Eye Damage/Irritation: no data
Respiratory/Skin Sensitization: no data	Germ Cell Mutagenicity: no data
Carcinogenicity: no data	Reproductive Toxicity: no data
Specific Target Organ Toxicity – Single Expo	sure: no data
Specific Target Organ Toxicity – Repeated Ex	kposure: no data
Aspiration Hazard: no data	Acute Toxicity: no data
Chronic Exposure: no data	
Potential Health Effects - Miscellaneous: no	data

Section 12 - Ecological Information

Toxicity: no data Persistence and Degradability: no data Bioaccumulative Potential: no data Mobility in Soil: no data Other Adverse Effects: no data

Section 13 - Disposal Considerations

Disposal: Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information		
DOT	ΙΑΤΑ	IMDG
Not Regulated	Not Regulated	Not Regulated

Section 15 - Regulatory Information


TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

SARA 302 Components: No chemicals in this material are subject to reporting requirements of SARA Title III, Section 302

SARA 313 Components: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

SARA 311/312 Hazards: Acute Health Hazard.

<u>California Proposition 65</u>: This product does not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.



Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality: TLV-Threshold Limit Value: TSCA-Toxic Substances Control Act Public Law 94-469: TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



Safety Data Sheet

		SDS No. 32B
	Section 1 - (Chemical Product and Company Identification
General Use:	Epoxy Curing Res r: Smooth-On, Inc. 5600 Lower Ma	
Emergency C	Contact: Chem-Te	
	Domestic: 800-	
Cleasification		Section 2 - Hazards Identification
Classification	n of the substance	e or mixture
Acute to Skin cor Eye dar Acute a	oxicity, oral – Categoxicity, inhalation – prosion/irritation – Category nage/irritation – Category	- Category 4 Category 2A ategory 2A
Pictogram(s)		
Signal Word:	Danger	
GHS Label el Health Hazards:	ements, includin H302	g precautionary statements Harmful if swallowed
	H314 H319 H332 H402	Causes severe skin burns and eye damage Causes serious eye irritation Harmful if inhaled Harmful to aquatic life.
General Precautions:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
Prevention Precautions:	P103 P264	Wash skin thoroughly after handling.
Response Precautions:	P271 P301 + P312	Use only outdoors or in a well-ventilated area. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	P302 + P352 P304 + P340	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

	P332 + P313	If skin irritation occurs: Get medical adv	vice/attention
	P337 + P313	If eye irritation persists: Get medical ad	
Storage Precautions:	P405	Store locked up.	
Disposal Precautions:	P501	Dispose of contents/container according to local, state and federal laws.	
Hazards not	otherwise class	ified (HNOC) or not covered by GHS - no	one
	Section 3	3 - Composition / Information on Ingredi	ents
The following	g ingredients are	hazardous according to OSHA criteria:	
CAS	Component	Component	
1761-71-3	Methyleneb	iscycloheanamine, 4,4'-	65% - 70%
39423-51-3	Trimethylol	propane polyoxypropylene triamine	18% - 30%

Section 4 - First Aid Measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.
Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.
Skin Contact: In case of skin contact, wash thoroughly with soap and water.

Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

Flammable Classification: Non-Flammable

Extinguishing Media: Water Fog, Dry Chemical, and Carbon Dioxide Foam **Unusual Fire or Explosion Hazards:** None known.

Fire-Fighting Instructions: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam.

Further information: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

Spill /Leak procedures:

Only properly protected personnel should remain in the spill area; dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

Environmental precautions:

Prevent further leakage or spillage.

Section 7 - Handling and Storage

Handling Precautions: Ensure good ventilation at the workplace. Use good general housekeeping procedures. Wash hands after use.

Storage Requirements: Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

Section 8 - Exposure Controls / Personal Protection

Respiratory Protection: Respiratory protection is not normally required when using this product with adequate ventilation. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges.

Hand Protection: Wear chemical resistant liquid-tight gloves such as butyl rubber, neoprene or PVC.

Eye Protection: Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Other Protective Clothing/Equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties

Appearance : amber liquid Odor/Threshold: Mild ammonia odor pH: NA (non-aqueous) Melting Point/Freezing Point: N.A. Low/High Boiling Point: Not available Flash Point: 347 °F Evaporation Rate: Not available Flammability: f.p. at or above 200 °F UEL/LEL: Not available Vapor Pressure: < 1.0 mmHg @ 70 °F Vapor Density (Air=1): >1 Specific Gravity (H2O=1, at 4 °C): 0.96 Water Solubility: Not available Partition coefficient: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: Not available % Volatile: Not available

Section 10 - Stability and Reactivity

Stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur.

Chemical Incompatibilities: Strong bases, and acids.

Hazardous Decomposition Products: Thermal oxidative decomposition can produce carbon oxides and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

Skin Corrosion/Irritation: severe skin irritation Serious Eye Damage/Irritation: severe eye irritation Respiratory/Skin Sensitization: no data Germ Cell Mutagenicity: not mutagenic in AMES Test Carcinogenicity: no data Reproductive Toxicity: no data Specific Target Organ Toxicity – Single Exposure: no data Specific Target Organ Toxicity – Repeated Exposure: no data Aspiration Hazard: no data Acute Toxicity: no data Chronic Exposure: no data Potential Health Effects – Miscellaneous: no data

Section 12 - Ecological Information

Toxicity: no data Persistence and Degradability: no data Bioaccumulative Potential: no data Mobility in Soil: no data Other Adverse Effects: no data

Section 13 - Disposal Considerations

Disposal: Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information		
DOT	ΙΑΤΑ	IMDG
Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (4,4'-methylene biscyclohexanamine and polyoxypropylene triamine) UN: 2735 HC: 8 PG: II Label: Corrosive	Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (4,4'-methylene biscyclohexanamine and polyoxypropylene triamine) UN: 2735 HC: 8 PG: II Label: Corrosive	Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (4,4'-methylene biscyclohexanamine and polyoxypropylene triamine) UN: 2735 HC: 8 PG: II Label: Corrosive

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

<u>California Proposition 65</u>: This product does not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

16 - Other Information

HMIS	
Η	3
F	1
R	0



Revision: 5 Date Prepared: May 6, 2015

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service: Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit: OSHA-Occupational Safety and Health Administration, US Dept. of Labor: PEL-Permissible Exposure Limit: SARA (Title III)-Superfund Amendments and Reauthorization Act: SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.