



SDS No. 402 A

Product Identifier:	Part A for: EZ-Spray® Plastic; FeatherLite®; FlexFoam-iT®			
General Use: Manufacturer:	Series; Foam-iT! 3, 4, 5,10, 10 Slow,15 Plasti-Paste® and Plasti- Paste® II; Renew® Flexible Foam 10# and 25#; Renew® Rigid Foam 10#; Rigid Urethane 1800PF; Shell Shock® Fast and Slow; Simpact® 60A and 85A; Smooth-Cast® 300, 300Q, 305, 310, 320, 321, 322, 385, 45D, 57D, 60D, 61D, 65D, 66D, ONYX®; StyroCoat®; Task® 2, 3, 5, 8, 11, 13, 14, 15, 16, 18, 7 FlameOut®; Urethane 444; Urethane 666; Smooth-Cast® 380 Part B; and Urethane Adhesive 110-253 Polyurethane Elastomer Smooth-On, Inc., 5600 Lower Macungie Rd., Macungie, PA 18062 Phone (610) 252-5800, sds@smooth-on.com			
Emergency Contact:	Chem-Tel Domestic: 800-255-3924 International: 813-248-0585			
Section 2 – Hazard(s) Identification				
 1 Classification of the substance or mixture: H315 Skin corrosion/irritation – Category 2 H317 Skin sensitization – Category 1 H320 Eye Damage/irritation - Category 2B H332 Acute toxicity, inhalation – Category 4 H334 Respiratory Sensitization – Category 1 H335 Specific target organ toxicity – single exposure – Category 3 (respiratory) H351 Carcinogenicity – Category 2 H373 Specific Target Organ Toxicity, repeated exposure Category 2 (respiratory) Pictogram(s): Signal word: Danger 				
Health Hazards: H315 H317 H320 H332 H334 H335 H351 H373 General Precautions: P101	Causes skin irritation May cause an allergic skin reaction Causes eye irritation Harmful if inhaled May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause respiratory irritation Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) If medical advice is needed, have product container or label at hand. Keep out of reach of children.			
	Manufacturer: Emergency Contact: Classification of the H315 Skin co H317 Skin se H320 Eye Da H320 Eye Da H322 Acute t H334 Respira H335 Specifie H351 Carcino H373 Specifie S Label elements, ind Pictogram(s): Signal word: Danger Health Hazards: H315 H317 H320 H332 H334 H335 H351 H373 General Precautions:			





SDS No. 402 A

P103	Read label before use.			
Prevention Precautions:				
P201	Obtain special instructions before use.			
P202	Do not handle until all safety precautions have been read and understood.			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.			
P264	Wash thoroughly after handling.			
P271	Use only outdoors or in a well-ventilated area.			
P272	Contaminated work clothing should not be allowed out of the workplace.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P284	[In case of inadequate ventilation] wear respiratory protection.			
Response Precaution				
P302 + P352	IF ON SKIN: Wash with plenty of water/			
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for			
	breathing.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove			
	contact lenses, if present and easy to do. Continue rinsing.			
P308 + P313	IF exposed or concerned: Get medical advice/ attention.			
P312	Call a POISON CENTRE/doctor/ if you feel unwell.			
P314	Get medical advice/attention if you feel unwell.			
P321	Specific treatment (see on this label).			
P332 + P313	If skin irritation occurs: Get medical advice/attention.			
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.			
P337 + P313	If eye irritation persists: Get medical advice/attention.			
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/			
P362 + P364	Take off contaminated clothing and wash it before reuse.			
Storage Precautions:				
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.			
P405	Store locked up.			
Disposal Precautions:				
P501	Dispose of contents/container to local, state and federal laws.			

Hazards not otherwise classified (HNOC) or not covered by GHS – none known.

Section 3 - Composition / Information on Ingredients

3.1 Substances

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

Component	CAS #	Concentration (%wt)
4,4' Methylene bis(phenylisocyanate) (MDI)	101-68-8	15 – 35
Benzene, 1,1'-methylenebis[4-isocyanato-],	25686-28-6	5 – 10
homopolymer		
Methylenediphenyl diisocyanate	26447-40-5	< 1.5

Section 4 - First Aid Measures





SDS No. 402 A

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.
Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.
Skin Contact: In case of skin contact, wash thoroughly with soap and water.
Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

- 5.1 Extinguishing Media: Water Fog, Dry Chemical, and Carbon Dioxide Foam
- 5.2 Special hazards arising from the substance or mixture: None known.
- 5.3 Advice for firefighters: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a selfcontained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

- 6.1 **Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
- **6.2 Environmental precautions:** Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.
- **6.3** Methods and material for containment and cleaning up: Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

6.4 Reference to other sections: See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

Section 7 - Handling and Storage

- 7.1 Precautions for safe handling: Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.
- **7.2 Conditions for safe storage, including any incompatibilities:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
- **7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.





SDS No. 402 A

Section 8 - Exposure Controls / Personal Protection

8.1 Control parameters:

4,4' Methylene bis(phenylisocyanate) (MDI)

OSHA PEL CLV 0.02 ppm 0.2 mg/m³ ACGIH TLV TWA value 0.005 ppm

8.2 Exposure controls:

Respiratory Protection: Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls. **Hand Protection:** Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC. **Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses. **Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance: amber liquid Odor/Threshold: musty odor pH: N.A. (non-aqueous) Melting Point/Freezing Point: 37 °F Low/High Boiling Point: > 390 °F Flash Point: >300 °F Evaporation Rate: Not available Flammability: f.p. at or above 200 °F UEL/LEL: Not available Vapor Pressure: <0.00016 mmHg (68 °F) Vapor Density (Air=1): >1 Specific Gravity (H₂O=1, at 4 °C): 1.2 Water Solubility: Insoluble Partition coefficient: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: 30-100 centipoise % Volatile: Nil

Section 10 - Stability and Reactivity

- **10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.
- **10.2** Chemical stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.
- **10.3 Possibility of hazardous reactions:** Polymerization may occur. Reacts with water with formation of carbon dioxide. Risk of bursting.
- 10.4 Conditions to avoid: none known
- 10.5 Incompatible materials: Water (and moisture), amines, strong acids and bases, alcohols
- **10.6 Hazardous decomposition products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.





SDS No. 402 A

Section 11- Toxicological Information

11.1 Information on toxicological effects: Assessment of irritating effects: irritating to eyes, respiratory system and skin. Skin contact may result in dermatitis, either irritative or allergic.
 Skin Corrosion/Irritation: Draize test (rabbit): irritating (based on MDI)
 Serious Eye Damage/Irritation: Draize test (rabbit): irritating (based on MDI)
 Respiratory/Skin Sensitization:

Buehler test (guinea pig): sensitizing

Mouse Local Lymph Node Assay (LLNA): sensitizing, can cause skin sensitization. Studies in animals suggest that dermal exposure may lead to pulmonary sensitization. However, the relevance of this result for humans is unclear.

Germ Cell Mutagenicity: no data

Carcinogenicity: A carcinogenic potential cannot be excluded after prolonged exposure to severely irritating concentrations. These effects are not relevant to humans at occupational levels of exposure. OECD Guideline 453 rat inhalation 0, 0.2, 1, 6 mg/m3 result: lung tumors. **Reproductive Toxicity:** Repeated inhalation uptake of the substance did not cause damage to the reproductive organs. Assessment of teratogenicity showed that the substance did not cause malformations in animal studies, however toxicity to development was observed at high doses that were toxic to the parental animals.

Development:

OECD Guideline 414 rat inhalation 0, 1, 4, 12 mg/m³

NOAEL Mat: 4 mg/m³

NOAEL Teratogenic: 4 mg/m³

Specific Target Organ Toxicity – Single Exposure: causes temporary irritation of the respiratory tract

Specific Target Organ Toxicity - Repeated Exposure: no data

Aspiration Hazard: no data

Acute Toxicity: calculated based on MDI

LD50 oral (rat): > 6,250 mg/kg

LC50 inhalation (rat): >6.25 mg/l (OECD Guideline 403)

LD50 dermal (rabbit): > 29,400 mg/kg

Chronic Exposure: NOAEL: 0.6 mg/m3; LOAEL: 3.1 mg/m3 (based on MDI)

Potential Health Effects - Miscellaneous: no data

Section 12 - Ecological Information

12.1 Toxicity:

LC0 (96 h): > 1,000 mg/l, Brachydanio rerio (OECD Guideline 203, static)

EC50 (24 h): > 1,000 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

EC0 (72 h): 1,640 mg/l (growth rate), Scenedesmus subspicatus, (OECD Guideline 201, static)

12.2 Persistence and Degradability: Poorly biodegradable (0% BOD OECD Guideline 302 C). This product is upstable in water. The elimination data also refer to products of hydrolycis

product is unstable in water. The elimination data also refer to products of hydrolysis.


12.3 Bioaccumulative Potential: Significant accumulation in organisms is not to be expected. Bioconcentration factor 200 (28 d) *Cyprinus carpio* (OECD Guideline 305 E)

12.4 Mobility in Soil: Adsorption to solid soil phase is not expected.

12.5 Results of PBT and vPvB assessment: no data

12.6 Other Adverse Effects: The substance will not evaporate into the atmosphere from the water surface.





SDS No. 402 A

Section 13 - Disposal Considerations

13.1 Waste treatment methods: Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information

Not regulated by DOT, IATA or IMDG

- 14.1 UN number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): not applicable
- 14.4 Packing group: not applicable
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016): This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

In the United States (EPA Regulations):

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:


CASChemical NameConcentration101-68-84,4' Methylene bis(phenylisocyanate) (MDI)15% - 35%SARA 311/312 Hazards: Acute, Chronic15% - 35%

<u>California Proposition 65</u>: This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

15.2 Chemical safety assessment: No chemical safety assessment has been carried out for this substance/mixture by the supplier.



SDS No. 402 A



Revision: 1 Date Prepared: August 9, 2017

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute: Canadian TDG-Canadian Transportation of Dangerous Goods: CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act: SARA 313-Superfund Amendments and Reauthorization Act. Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



GHS Compliant

SDS No. 419B

Section 1 - Identification				
1.1	Product Identifier:	Part B for Brush-On [®] 40, 50, 60; Econ [®] 60 and 80; EZ-Spray [®] Plastic; Foam-iT! 4, 4 Black, 5, 8; Formlastic [™] 48; Plasti-Paste [®] and Plasti-Paste [®] II; PMC [®] 121-30 Dry and Wet, PMC [®] 744, 770, 844; Renew [™] UR-40, UR-60; ReoFlex [®] 20 Dry, 30 Dry and Wet, 40 Dry and Wet, 50 Dry and Wet, 60 Dry and Wet; Shell Shock [®] Fast and Slow; Smooth-Cast [®] 305, 310, 321, 322, 385; Task [®] 4, 5, 6, 18; Urethane 4400; VytaFlex [®] 10, 20, 30, 40, 50, 60		
		Part A for TerraCon® 55; Urethane 4040		
1.2 1.3	General Use: Manufacturer:	Polyurethane Elastomer Smooth-On, Inc., 5600 Lower Macungie Rd., Macungie, PA 18062 Phone (610) 252-5800, sds@smooth-on.com		
1.4	Emergency Contact:	Chem-Tel Domestic: 800-255-3924 International: 813-248-0585		

Section 2 – Hazard(s) Identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) and Regulation (EC) No 1272/2008 and subsequent amendments.

2.2 GHS Label elements, including precautionary statements Pictogram(s): none Signal word: none

General Precautions:

P101: If medical advice is needed, have product container or label at hand.P102: Keep out of reach of children.P103: Read label before use.

Hazards not otherwise classified (HNOC) or not covered by GHS – This product contains a chemical known to be hazardous according to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). (See also Section 3 and 15)

Section 3 - Composition / Information on Ingredients

3.1 Substances

No ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard 29 CFR 1910.1200 criteria.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.





SDS No. 419B

Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention. **Skin Contact:** In case of skin contact, wash thoroughly with soap and water. **Ingestion:** Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

- 5.1 Extinguishing Media: Water Fog, Dry Chemical, and Carbon Dioxide Foam
- 5.2 Special hazards arising from the substance or mixture: None known.
- **5.3** Advice for firefighters: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a selfcontained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

- 6.1 **Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
- 6.2 Environmental precautions: No special environmental precautions required.
- **6.3** Methods and material for containment and cleaning up: absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution
- **6.4 Reference to other sections:** if appropriate Sections 8 and 13 shall be referred to.

Section 7 - Handling and Storage

- 7.1 **Precautions for safe handling:** Use good general housekeeping practices. Wash hands after use.
- **7.2 Conditions for safe storage, including any incompatibilities:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
- **7.3 Specific end use(s):** These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 - Exposure Controls / Personal Protection

8.1 Control parameters: none defined

8.2 Exposure controls:

Respiratory Protection: Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges.

Hand Protection: Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.





SDS No. 419B

Eye Protection: Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses. **Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance: clear to amber liquid Odor/Threshold: Mild odor pH: N.A. (non-aqueous) Melting Point/Freezing Point: N.A. Low/High Boiling Point: N.A. Flash Point: >300 °F Evaporation Rate: Not available Flammability: f.p. at or above 200 °F UEL/LEL: Not available Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): >1 Specific Gravity (H2O=1, at 4 °C): 1.05-1.25 Water Solubility: Insoluble Partition coefficient: Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: 400 – 500 centipoise % Volatile: 0% (v/v), 0% (w/w)

Section 10 - Stability and Reactivity

- **10.1 Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.
- **10.2** Chemical stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.
- 10.3 Possibility of hazardous reactions: Hazardous polymerization cannot occur.
- 10.4 Conditions to avoid: none known
- **10.5** Incompatible materials: strong bases and acids
- **10.6 Hazardous decomposition products:** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

11.1 Information on toxicological effects: Skin Corrosion/Irritation: no data Serious Eye Damage/Irritation: no data Respiratory/Skin Sensitization: no data Germ Cell Mutagenicity: no data Carcinogenicity: No component of these products present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, ACGIH or NTP. Reproductive Toxicity: no data Specific Target Organ Toxicity – Single Exposure: no data Specific Target Organ Toxicity – Repeated Exposure: no data Aspiration Hazard: no data Acute Toxicity: (Calculated) LD50 Oral, rat: >37,000 mg/kg LC50 Inhalation, rat (4 h): >16.3 mg/l





SDS No. 419B

LD50 Dermal, rabbit: >11,700 mg/kg Chronic Exposure: no data Potential Health Effects – Miscellaneous: no data

Section 12 - Ecological Information

12.1 Toxicity:

- LC50 (semi-static, 96 h): > 380 mg/l, Danio rerio EC50 (static, 48 h): >270 mg/l, Daphnia magna EC50 (static, 72 h): >330 mg/l, Desmodesmus subspicatus
- 12.2 Persistence and Degradability: no data
- 12.3 Bioaccumulative Potential: no data
- 12.4 Mobility in Soil: no data
- 12.5 Results of PBT and vPvB assessment: no data
- 12.6 Other Adverse Effects: no data

Section 13 - Disposal Considerations

13.1 Waste treatment methods: Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information

Not regulated by DOT, IATA or IMDG

- 14.1 UN number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): not applicable
- 14.4 Packing group: not applicable
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016): This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

In the United States (EPA Regulations):

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.





SDS No. 419B

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

SARA 311/312 Hazards: none

<u>California Proposition 65</u>: WARNING: This product contains chemicals known to the state of California to cause cancer.

15.2 Chemical safety assessment: No chemical safety assessment has been carried out for this substance/mixture by the supplier.

16 - Other Information		
HMIS		
H 1 F 1		
R 0		



Revision: 9 Date Prepared: August 9, 2017

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation: WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian





SDS No. 419B

Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.